

VUF-1036

C.3

VUF-1036

VELA UNIFORM PROGRAM STERLING EVENT

OFF-SITE
SURVEILLANCE

20000911 137

ISSUED: May 24, 1968

U. S. Public Health Service

DOCUMENT NUMBER

DTIC QUANTITY INSPECTED 4

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

This report has been reproduced directly from the best available copy.

Printed in USA. Price \$3.00. Available from the Clearinghouse for Federal Scientific and Technical Information, National Bureau of Standards, U. S. Department of Commerce, Springfield, Virginia 22151.

VUF-1036

OFF-SITE SURVEILLANCE
FOR
PROJECT STERLING
December 3, 1966

Melvin W. Carter, Ph.D.,
Project Officer
O. R. Placak, Off-Site
Radiological Safety Officer

U. S. Department of Defense
U. S. Atomic Energy Commission
Vela Uniform

U. S. Public Health Service

Southeastern Radiological Health Laboratory
Montgomery, Alabama
Southwestern Radiological Health Laboratory
Las Vegas, Nevada

FOREWORD

The information and data presented in this report were compiled to summarize the activities conducted by the Off-Site Radiological Safety Organization relative to Project Sterling. The activities prior to the shot, during the active test period, and immediately post-shot are discussed.

Acknowledgements are extended to the personnel of the Southwestern Radiological Health Laboratory, Las Vegas, Nevada; Southeastern Radiological Health Laboratory, Montgomery, Alabama; and Northeastern Radiological Health Laboratory, Winchester, Massachusetts; and reserve PHS officers (temporary duty) for making the Off-Site Radiological Safety activities successful.

Acknowledgements are also extended to state and local health department officials in Mississippi and Louisiana for their assistance in off-site activities.

TABLE OF CONTENTS

| | Page |
|--|-----------|
| LEGAL NOTICE | i |
| FOREWORD | ii |
| CHAPTER 1 INTRODUCTION | 1 |
| CHAPTER 2 PROCEDURE | 5 |
| 2.1 PRELIMINARY PROCEDURE | 5 |
| 2.1.1 Population Survey | 5 |
| 2.1.2 Milk Shed Survey | 7 |
| 2.1.3 Evacuation | 9 |
| 2.1.4 Structural Survey | 10 |
| 2.1.5 Environmental Sampling | 11 |
| 2.1.6 Film Badge Program | 13 |
| 2.2 PROCEDURE, STERLING EVENT | 13 |
| 2.2.1 Evacuation | 13 |
| 2.2.2 Ground Monitoring | 15 |
| 2.2.3 Aerial Monitoring | 16 |
| 2.2.4 Environmental Sampling | 16 |
| 2.2.5 Film Badge Program | 19 |

| | |
|--------------------------------------|----|
| CHAPTER 3 RESULTS | 19 |
| 3.1 Evacuation | 19 |
| 3.2 Radiation Monitoring | 19 |
| 3.3 Environmental Sampling | 19 |
| 3.4 Film Badges | 19 |
| CHAPTER 4 CONCLUSIONS | 20 |
| REFERENCES | 21 |

TABLES

| | |
|---|----|
| 2.1 Air Data - Sterling Event December 1-6, 1966 | 22 |
| 2.2 Air Data - RSN December 1-6, 1966 | 24 |
| 2.3 Sterling Event - Results of Milk Analyses - November - December 1966 | 25 |

FIGURES

| | |
|---|----|
| 1.1 Location Map, Project Sterling | 27 |
| 2.1 Off-Site Milk Sampling Coverage, Composite Samples . . | 28 |
| 2.2 Off-Site Milk Sampling Stations Within 5-Mile Radius | 29 |
| 2.3 Evacuation Area | 30 |
| 2.4 Permanent Air Sampling Stations, 0-5 Miles | 31 |
| 2.5 Permanent Air Sampling Stations, 5-50 Miles | 32 |

| | Page |
|---|------|
| 2.6 Off-Site Water Sampling Stations . . . | 33 |
| 2.7 Off-Site Area Film Badge Stations, 5-50 Miles | 34 |
| 2.8 Personal Film Badges, Film Badge Stations within 5-Mile Radius | 35 |
| 2.9 Off-Site Roads Monitored | 36 |
| 2.10 Off-Site Vegetation Sampling Stations . | 37 |

CHAPTER 1

INTRODUCTION

The Sterling Event was the fourth nuclear detonation involved in a study, identified as Project Dribble, sponsored by the Department of Defense's Advanced Research Project Agency. Project Dribble involves the recording and identification of seismic signals from underground detonations. These studies are part of a seismic research program called Vela Uniform which is designed to improve the United States' capability to detect, identify, and locate underground nuclear detonations.

The Sterling Event was fired at 6:15 a.m. CST on December 3, 1966, 19 air miles southwest of Hattiesburg, Mississippi, in the 110' diameter cavity created by the Salmon Event* (see figure 1.1). The nuclear explosive was designed for a 350-ton yield. At shot time, the mean layer winds were from 285° at 12 knots. The surface winds were from 65° at 9 knots.

The Off-Site Surveillance Program for the Sterling Event was conducted by the U. S. Public Health Service Off-Site Radiological Safety Organization. Authorization for this program was established by the AEC-PHS Memorandum of

* A 5-kiloton nuclear detonation that was fired approximately 2700 feet below the surface of the earth in a formation known as Tatum Salt Dome, Lamar Co., Mississippi, on October 22, 1964.

Understanding and NTSO-SOP Chapter 0524-05, Off-Site Rad-Safety Operations, revised June 26, 1961. Operational supervision of the off-site program during testing periods was delegated by the Project Manager to the Radiological Safety Officer. The functions of the Public Health Service were as follows:

1. Determination by mobile and fixed monitoring stations and aerial surveys the extent of airborne, surface and subsurface contamination off-site resulting from the operation.
2. Maintenance of a comprehensive record of radioactivity associated with the operation, including fluctuations in background data.
3. Insurance of continuing public health protection, including sampling of various media such as water, milk, soil, vegetation and animal tissue, as required.
4. Preparations for effecting emergency measures in the event an unacceptable situation developed.
5. Dissemination of necessary public information in surrounding communities to maintain public confidence in the safe conduct of the operation.
6. Investigation of incidents that might be attributed to the operation.
7. Distribution and collection of film badges.

8. Provision of mobile monitoring teams in selected populated places surrounding the operation site.
9. Location of air-sampling equipment and securance of local personnel for operation of the sampling stations.
10. Evacuation of certain portions of the off-site area ^{*}
including:
 - Evacuation of certain portions of the off-site area (0 to 2.0 miles from Surface Zero) as a precautionary measure in the event an unforeseen situation developed.
 - Medical support relative to evacuating individuals living in the off-site area who were not physically able to evacuate themselves.

The Off-Site Radiological Safety Organization for the Sterling Event was staffed principally by personnel from the Southwestern Radiological Health Laboratory, Las Vegas, Nevada; Southeastern Radiological Health Laboratory, Montgomery, Alabama; and Northeastern Radiological Health Laboratory, Winchester, Massachusetts; and reserve PHS officers (temporary duty).

The Project Officer was Dr. Melvin W. Carter, Ph.D., Officer in Charge, Southeastern Radiological Health Laboratory, Montgomery, Alabama. The Off-Site Radiological Safety Officer was Mr. O. R. Placak, Officer in Charge, Southwestern Radiological

* The off-site area is defined as that area within a 50-mile radius of Surface Zero (excluding the test-site area), or as far beyond this area as Public Health Service activities are deemed necessary.

Health Laboratory, Las Vegas, Nevada.

The activities of the Public Health Service were coordinated with the state and pertinent local health departments of Mississippi and Louisiana.

Prior to the detonation, Public Health Service personnel completed a population survey of the area within 5 miles of the test site in order to update the information gathered in 1963-64 relative to the Salmon Event of 1964. This survey was extended out to 10 miles from 270° clockwise to 45°. Results of the survey were used to develop an evacuation plan for certain portions of the off-site area.

A Public Health Service medical officer, utilizing the information gathered by the population survey, visited all the homes within a 5-mile radius where people lived who might need medical attention if an emergency developed.

A milk shed survey was conducted within a 50-mile radius to update the information gathered in 1963-64 relative to the Salmon Event. The milk shed survey was conducted to develop emergency procedures if milk in the off-site area was contaminated as a result of the Sterling Event; and also to develop a milk sampling program in the area to establish existing background radio-activity levels. This survey was coordinated with the state and appropriate local health departments of Mississippi and Louisiana.

An environmental sampling program to determine existing levels of radioactivity and normal variations in these levels was initiated in May 1963 in relation to the Salmon Event. Media sampled included air, water, milk, and vegetation media. The samples were representative of an area bounded by a 50-mile radius from the test site. These samples were analyzed at the Southeastern Radiological Health Laboratory, Montgomery, Alabama; reports were issued on a monthly basis through December 1965 at which time they were issued on a quarterly basis.¹ After conclusion of the Salmon cavity reentry activities of March 1965 the environmental sampling program was gradually decreased to a minimum, which consisted of 4 air sampling stations and 15 water sampling stations. The majority of these stations were within a 5-mile radius of the test site. Prior to the Sterling Event this program was expanded to represent a 50-mile radius coverage.

CHAPTER 2

PROCEDURE

2.1 PRELIMINARY PROCEDURE

2.1.1 Population Survey

Pre-operational activities for the Off-Site Surveillance Program for Project Sterling were initiated on September 7, 1966, at which time a Public Health Service office was established in Hattiesburg, Mississippi.

A population survey in the off-site area was initiated on October 10, 1966. This survey was conducted in order to update population information; i.e., the last time a population survey was conducted in this area was in September 1964. PHS officers began the survey within a 5-mile radius of the test site and worked outward to a 10-mile radius.

The following information was gathered at each residence:

1. the name of the head of the household,
2. the name and age of each person living in the home,
3. the name of anyone in the home who was ill,
4. transportation requirements if an emergency were to develop that would require an evacuation.

The population survey within a 5-mile radius of the test site was completed on November 4, 1966. The survey in the area from 5 to 10 miles from the test site was completed by November 10 from 270° clockwise to 45° (i.e., a sector from west to northeast). No further work was done out to 10 miles since it was determined that if an unexpected release of activity were to occur, the area beyond 5 miles would not be a major concern in regard to evacuation connected with potential radiation exposure.

The population survey within a 5-mile radius revealed that there were 1,200 people representing 314 homes in this area. This information was used in order to develop a pre-shot evacuation program as well as for use in relation to emergency planning.

2.1.2 Milk Shed Survey

(1) 5-50 mile area

Twenty-two counties in Mississippi and one parish in Louisiana were visited during November 4 - 14, 1966, in order to update the milk shed survey information which was collected in 1963. This survey was conducted in cooperation with the State Health Departments of Mississippi and Louisiana. The local milk sanitarians were the primary source of information. The following information was obtained:

- (1) The locations of dairy farms and the number of cows milked at each farm,**
- (2) the names and addresses of the truck drivers who collected the milk, and**
- (3) the locations of the milk processing plants that received the milk.**

The information gathered from this survey was utilized to develop a composite milk sampling program within a 50-mile radius of the test site. It was also utilized to develop an emergency plan in case an unforeseen incident were to occur as a result of Sterling.

In reviewing the information gathered from the milk shed survey, it was determined that 18 composite milk samples representing 220 dairies would give representative coverage of the milk produced within a 50-mile radius of the test site. (See figure 2.1 for the number of dairies that the composite milk samples represented.)

(2) 0-5-mile area

On November 17, 1966, a survey was initiated to evaluate the number of milk cows within a 5-mile radius of the test site. This survey was conducted in order to establish a sampling program representing raw milk that might be consumed by individual families. This survey was completed on November 21, 1966.

Using the information gathered, 7 sampling stations were established within a 5-mile radius of the test site. (See figure 2.2 for the locations of the stations.)

2.1.3 Evacuation

Prior to the shot, it was determined that as a precautionary measure it would be advisable to evacuate those residents living within a 2-mile radius of the test site. The Off-Site Surveillance Program was given the responsibility of developing an evacuation plan using the criteria established by the test organization as a guide.

Utilizing the information gathered from the population survey, the residents who lived within a 2-mile radius of the test site were visited and asked if they would evacuate the day before the shot. Due to the early morning shot schedule (6:00 a.m.) it was deemed desirable to evacuate people the evening prior to the event. It was felt that this procedure would minimize inconvenience to them and preclude trying to conduct such a major activity under nighttime conditions.

Off-site personnel gathered information as to what time the residents would evacuate and where they would go. The evacuees were given the Public Health Service phone number and were instructed to call collect if they had any questions regarding the shot.

Thirty-one families representing 127 people within a 2-mile radius of the test site were contacted in regard to

evacuation. All of the families indicated that they would evacuate the day before the shot, with the exception of one family who planned to leave the day of the shot. (See figure 2.3 for the evacuation area.)

The PHS population survey previously described located 39 "medical cases" within the 5-mile radius. These cases were evaluated by the project medical officer, who personally visited each one. On the basis of how the disorder present affected the movability of the patient, should evacuation be necessary, it was decided whether or not to move the patient prior to the detonation. The nature of the medical problems encountered ranged from pregnancy near term to disorders of the heart and circulatory system. Some neuropsychiatric disorders were encountered.

On the basis of this medical evaluation, it was deemed advisable to evacuate one person by ambulance prior to the detonation.

2.1.4 Structural Survey

On October 19, 1966, Public Health Service officers began contacting off-site residents and supervisors of various

institutions in the area. These contacts were made in regard to a proposed, selective structural survey that was to be conducted by Atomic Energy Commission contractors.

PHS officers obtained permission for the contractors to conduct their survey and were available to answer any specific questions regarding its purpose and nature.

2.1.5 Environmental Sampling

(1) Air Sampling

Four permanent air sampling stations had operated five days a week since the cavity reentry activities of 1965. These samples were collected with the General Metal Works Model 2000 hi-volume air sampler, utilizing a Gelman type E, 8" x 10" glass fiber filter. They were mailed routinely to the Southeastern Radiological Health Laboratory, Montgomery, Alabama, for analysis. Monthly reports containing the analyses data were issued through December 1965, at which time, quarterly reports were issued.

Beginning on November 23, the air sampling network was expanded to include 33 stations within a 50-mile radius of the test site. (See figures 2.4 and 2.5 for the locations of the stations.)

(2) Water Sampling

On November 23, 1966, 37 water sampling stations were established within a 50-mile radius of the test site. These stations represented private, public and stream supplies.

One set of background samples was collected prior to the shot. Since the cavity reentry activities of 1965, 15 water sampling stations had been maintained on a semiannual collection basis. The data regarding the analyses of these samples were issued in the quarterly reports. (For the locations of the 37 water sampling stations see figure 2.6.)

(3) Vegetation Sampling

Twenty vegetation sampling stations were established on November 28, 1966. One set of samples was collected prior to the shot for background purposes. (See figure 2.10 for the locations of these stations.)

(4) Milk Sampling

(a) Composite Sampling (5-50-mile area)

Eighteen composite milk samples representing 220 dairies were collected prior to the shot for background purposes. Sample collection began on November 23, 1966. (Refer to figure 2.1 for the number of dairies represented in these samples in relation to the total number of dairies in the area.)

(b) Family Milk Cows (5-mile area)

Seven milk samples were collected from the stations within the 5-mile area prior to the shot. Sample collection began on November 30, 1966. (For the locations of these sampling stations refer to figure 2.2.)

2.1.6 Film Badge Program

Fifty film badge stations, four badges per station, were established within a 50-mile radius prior to the shot. These stations were activated on November 23, 1966. Nine of the stations were within a 5-mile radius of the test site.

Sixty-six personal film badges were distributed within a 5-mile radius of the site. One person per household was badged within a 2-mile radius. The remainder of the 5-mile area badges were distributed 360 degrees around the site. (For the locations of film badge stations from 5-50 miles, see figure 2.7; for 0-5 miles see figure 2.8.)

2.2 PROCEDURE, STERLING EVENT

2.2.1 Evacuation

The Sterling Event was detonated on December 3, 1966, at 6:15 a.m. CST. Public Health Service officers evacuated those residents living within a 2-mile radius of the test

site the day before the shot with the exception of one family who left the morning of the shot. Thirty-one families, representing 127 people, were evacuated. One medical case within the 5-mile area was also evacuated the day before the shot. (See figure 2.3 for the evacuation zone.) The people who were to be affected by the evacuation were informed on a house-to-house basis and at a public meeting which was held in Baxterville, Mississippi, on November 17, 1966.

After the public meeting a survey was made in order to determine if all the people would evacuate. All the residents within the affected area indicated that they would leave the day before the shot, with the exception of one family who planned to leave at 3:00 a.m. the day of the shot. They were informed on December 2 by Public Health Service officers that the event was scheduled for December 3 at 6:00 a.m. These contacts were made after the afternoon weather briefing held at 3:00 p.m. on December 2.

All residents scheduled for evacuation left their homes the day before the shot with the exception of one family who left at 2:45 a.m. on shot day. This family

raised chickens on a commercial basis and could not conveniently leave their home for an extended period of time.

On the morning of the shot prior to 3:00 a.m., Public Health Service officers visited each house in the 2-mile area to ensure that the evacuation was complete. The Lamar County Sheriff's Department patrolled the evacuation zone the evening of D-1 and up through H-3 on D-day, at which time road blocks were established by the AEC and contracting personnel.

2.2.2 Ground Monitoring

Twenty-five ground monitoring teams were stationed in the off-site area at shot time. They were directed in the field through a central communications control point. The following radiation detection field survey instruments were used: Eberline E-500B; Scintillator, model 111 and Victoreen Radector, Model 500. They were equipped with two-way radios and mobile air sampling capacity. Air samples were collected with the General Metal Works Model 2000 utilizing a Gelman type E, 8" x 10" glass fiber filter and a MSA #2306 organic vapor cartridge.

Ground monitoring began in the field at H-30 minutes and was terminated at H+2 hours. Four PHS monitoring teams were on standby through H + 18 hours. No activity above normal background levels was detected by ground monitors in the off-site area. (See figure 2.9 for the off-site roads that were monitored with negative results.)

2.2.3 Aerial Monitoring

A two-man aerial monitoring team utilizing a USAF helicopter made numerous passes over ground zero and in the off-site area. Instruments used were the Eberline E-500B; Scintillator, Model 111, and Victoreen Radector, Model 500. Aerial monitoring began at H + 15 minutes and was terminated at H + 4 hours, 21 minutes, at which time it was determined that no radiation had escaped to the off-site area. A cloud sampling aircraft also made passes in the off-site area with negative results.

2.2.4 Environmental Sampling

(A) Air Sampling

Thirty-three permanent air sampling stations were operating within a 50-mile radius of the test site at shot time. PHS ground monitors in the field were also equipped with air sampling units for mobile air sampling. (See figures 2.4/2.5 for permanent air sampling station locations.)

On D-day, after the shot, samples were collected from 9 stations that were operating within a 5-mile radius and one station in Purvis. These samples were analyzed at the laboratory in Hattiesburg, Mississippi.

In addition to the permanent air sampling stations, three sampling units were set up in the downwind sector and were operated by portable generators. All sampling units consisted of a General Metal Works, Model 2000, hi-volume air sampler utilizing a Gelman type E, 8" x 10" glass fiber filter. Selected stations ran MSA #2306 organic vapor cartridges back of the pre-filter.

As mentioned above, samples collected from some of the permanent stations, as well as the mobile units, were analyzed in Hattiesburg. The remainder of the samples were shipped to the Southeastern Radiological Health Laboratory, Montgomery, Alabama, for analysis. No activity above background levels was detected in any of the samples analyzed. See table 2.1 for gross beta results of an analysis of air particulate samples collected from the permanent stations from December 1 - 6, 1966. Table 2.2 indicates Radiation Surveillance Network (RSN) data from December 1 - 6 for stations located in the same part of the country.²

(B) Milk Sampling

Eighteen composite milk samples and seven individual family-milk-cow type samples were collected before and after the shot.

These samples were submitted to Montgomery for analysis. No activity above background level was detected. Refer to Table 2.3 for milk sampling data. Figure 2.1 indicates the dairies that were represented by the composite samples. See figure 2.2 for the locations of the family type samples.

(C) Water Sampling

Selected water samples collected immediately after the shot and on a bimonthly basis since then have indicated normal background levels. The water sampling locations are shown in figure 2.6

(D) Vegetation sampling

Vegetation samples were collected before and after the shot on December 2 and December 4, respectively. Similar amounts of gross beta, gross alpha, ^{144}Ce , ^{106}Ru , ^{137}Cs , $^{95}\text{Zr-Nb}$, and ^{40}K were detected in the samples that were collected before and after the shot. No activity was detected that could be attributed to the Sterling Event.

Refer to figure 2.10 for vegetation sampling stations.

2.2.5 Film Badge Program

The badges were collected from the 50 film badge stations beginning on December 12, 1966. Collection began on December 8, 1966, in regard to the 66 personal film badges that were distributed. None of the badges indicated radiation exposure. See figure 2.7 for film badge station locations from 5-50 miles. See figure 2.8 for the 0-5 mile coverage.

CHAPTER 3

RESULTS

3.1 Evacuation

Thirty-one families representing 127 people were evacuated from their homes prior to the shot and returned without incident. One medical case was evacuated from his home by the project medical officer prior to the detonation and returned post-shot.

3.2 Radiation Monitoring

No radiation above normal background levels was detected by the 25 ground monitoring teams or the aerial monitoring crews.

3.3 Environmental Sampling

Analyses of environmental samples including air, milk, water, and vegetation indicated no activity that could be attributed to the Sterling Event.

3.4 Film Badges

Dosimetry results showed no exposure to any of the film badges that were distributed at the 50 stations nor did any of the 66

personal badges indicate exposure.

CHAPTER 4

CONCLUSIONS

The evacuation of the off-site residents who lived within a two-mile radius of the test site provided additional experience in conducting safety programs in relatively populous areas during underground nuclear detonations.

The data gathered, including radiation monitoring and environmental sampling results, indicated that no detectable radioactivity was released to the off-site area as a result of Sterling, thus assuring that the operation was conducted with no resultant radiation exposure to the off-site population.

REFERENCES

1. "Project Dribble, Off-Site Radiological Surveillance,"
Monthly Reports May 1963 - December 1965, Quarterly Reports
since December 1965. Southeastern Radiological Health Laboratory,
unpublished.
2. "Monthly Tabulation of Findings, Public Health Service
Radiation Surveillance Network," February 1, 1967.
National Center for Radiological Health.

Table 2.1 Air Data - Sterling Event - December 1-6, 1966

| Location | Sample Code and/or PHS House No. | Gross Beta Activity (pCi/m ³)* | | |
|-------------------|--|--|---------|---------|
| | | Maximum | Minimum | Average |
| Baxterville | SA1-A6 | 0.3 | 0.1 | 0.2 |
| Hurricane | SA2-52 | 0.4 | 0.2 | 0.3 |
| Purvis | SA3 | 0.2 | 0.1 | 0.2 |
| Vardamin Griffith | SA4-25 | 0.3 | < 0.1 | < 0.2 |
| G. C. Saul | SA5-36 | 0.2 | 0.2 | 0.2 |
| Mrs. E. Powell | SA6-2 | 0.5 | 0.1 | 0.2 |
| Hubert Powell | SA7-38 | 0.2 | 0.2 | 0.2 |
| J. D. Keith | SA8-19 | 0.2 | 0.1 | 0.2 |
| R. L. Anderson | SA9-11 | 0.2 | < 0.1 | < 0.1 |
| W. H. Nobles, Jr. | SA10-10 | 0.3 | 0.1 | 0.2 |
| Eatonville | SA11 | 0.2 | 0.1 | 0.2 |
| Bassfield | SA13 | 0.4 | 0.1 | 0.2 |
| Collins | SA15 | 0.2 | 0.1 | 0.2 |
| Sumrall | SA16 | 0.2 | 0.1 | 0.2 |
| Ellisville | SA17 | 0.3 | 0.1 | 0.2 |
| Hattiesburg | SA19 | < 0.1 | < 0.1 | < 0.1 |
| Richton | SA21 | 0.2 | 0.1 | 0.2 |
| Beaumont | SA22 | 0.2 | 0.1 | 0.2 |
| Wiggins | SA23 | 0.2 | 0.1 | 0.2 |
| Lumberton | SA28 | 0.2 | 0.1 | 0.1 |
| Poplarville | SA29 | 0.2 | 0.1 | 0.2 |
| Columbia | SA31 | 0.7 | 0.1 | 0.6 |
| Tylertown | SA33 | 0.2 | 0.1 | 0.2 |
| McComb | SA34 | 0.2 | 0.1 | 0.2 |
| Oloh | SA37 | 0.3 | 0.2 | 0.2 |

Table 2.1 Air Data - Sterling Event - December 1-6, 1966 (Continued)

| Location | Sample Code and/or PHS House No. | Gross Beta Activity (pCi/m ³)* | | |
|-------------|--|--|---------|---------|
| | | Maximum | Minimum | Average |
| Sartinville | SA39 | 0.2 | 0.1 | 0.2 |
| Bogalusa | SA40 | 0.2 | 0.1 | 0.2 |
| Vernado | SA41 | 0.2 | 0.1 | 0.2 |
| Monticello | SA44 | 0.1 | < 0.1 | < 0.1 |
| Bunker Hill | SA45 | 0.3 | 0.1 | 0.2 |
| Prentiss | SA47 | 0.2 | < 0.1 | < 0.2 |
| Oakgrove | SA48 | 0.3 | 0.2 | 0.2 |
| Pine Burr | SA49 | 0.2 | 0.1 | 0.1 |

* Values of < 0.1 are assumed to be 0.1 for averaging purposes. If ten percent or more samples from a station contain < 0.1 pCi/m³, a less-than sign is placed before the average.

Table 2.2 Air Data - RSN - December 1-6, 1966

| <u>Location</u> | <u>Gross Beta Activity (pCi/m³)</u> | | |
|------------------------|--|----------------|-----------------|
| | <u>Maximum</u> | <u>Minimum</u> | <u>Average*</u> |
| Jacksonville, Florida | 0.6 | < 0.1 | < 0.2 |
| Atlanta, Georgia | 0.2 | < 0.1 | < 0.2 |
| Nashville, Tennessee | 0.2 | < 0.1 | < 0.1 |
| Jackson, Mississippi | 0.1 | < 0.1 | < 0.1 |
| Montgomery, Alabama | 0.2 | < 0.1 | < 0.2 |
| New Orleans, Louisiana | 0.1 | < 0.1 | < 0.1 |
| Austin, Texas | 0.1 | < 0.1 | < 0.1 |
| Little Rock, Arkansas | 0.2 | < 0.1 | < 0.1 |

* Values of < 0.1 are assumed to be 0.1 for averaging purposes. If ten percent or more samples from a station contain < 0.1 pCi/m³, a less-than sign is placed before the average.


Table 2.3
 STERLING EVENT
 Results of Milk Analyses
 November - December , 1966

| Location | Date Collected | Sample Code | Concentration of Stable Elements gm/1 K | Concentration of Radionuclide (pCi/l) | | | | |
|---|----------------|-------------|---|--|------------------|-------------------|-------------------|--------------------|
| | | | | ⁸⁹ Sr* | ⁹⁰ Sr | ¹³¹ I* | ¹³⁷ Cs | ¹⁴⁰ Ba* |
| Jones Co., Miss., Bush Dairy, Laurel Rt. A. Jones Co. | 11/25/66 | SM-1679 | 1.47 | < 5 | 22 | < 10 | 15 | < 10 |
| | 12/13/66 | SM-1727 | 1.47 | < 5 | 22 | < 10 | 20 | < 10 |
| Biloxi, Miss., Borden, Rt. 1, Farmer, Wiggins | 11/25/66 | SM-1680 | 1.57 | < 5 | 34 | 10 | 25 | < 10 |
| | 12/13/66 | SM-1729 | 1.47 | < 5 | 24 | < 10 | 30 | < 10 |
| Biloxi, Miss. Borden Co., Moses, Rt. 1 | 11/25/66 | SM-1682 | 1.57 | < 5 | 19 | < 10 | 15 | < 10 |
| | 12/14/66 | SM-1723 | 1.51 | < 5 | 18 | < 10 | 15 | < 10 |
| Biloxi, Miss. Borden Co., Ladner Rt. 2 Lower Rt. | 11/25/66 | SM-1683 | 1.46 | < 5 | 27 | < 10 | 30 | < 10 |
| | 12/13/66 | SM-1720 | 1.41 | < 5 | 29 | < 10 | 25 | < 10 |
| T. C. Smith Rt. 1 | 11/25/66 | SM-1684 | 1.44 | < 5 | 32 | 10 | 15 | 10 |
| | 12/13/66 | SM-1717 | 1.48 | < 5 | 30 | < 10 | 20 | < 10 |
| Biloxi, Miss. Borden Co., Shaw Rt. 2, Upper Rt. Jones Co. | 11/25/66 | SM-1685 | 1.37 | < 5 | 20 | < 10 | 15 | 10 |
| | 12/13/66 | SM-1718 | 1.43 | < 5 | 23 | < 10 | 15 | < 10 |
| T. C. Smith Rt. 4 | 11/24/66 | SM-1686 | 1.58 | < 5 | 18 | < 10 | 15 | < 10 |
| Walthall & Marion Counties | 12/14/66 | SM-1728 | 1.45 | < 5 | 17 | < 10 | 20 | < 10 |
| Biloxi, Miss. Borden Co., Shaw Rt. 1, Lower Rt. | 11/26/66 | SM-1696 | 1.44 | < 5 | 27 | < 10 | 40 | < 10 |
| | 12/14/66 | SM-1740 | 1.65 | < 5 | 31 | < 10 | 25 | < 10 |
| Picayune, Miss. Country Girl Dairy, Stan- ford, Rt. 2 | 11/26/66 | SM-1697 | 1.58 | < 5 | 21 | < 10 | 35 | < 10 |
| | 12/14/66 | SM-1733 | 1.57 | < 5 | 25 | < 10 | 45 | < 10 |

Table 2.3 (continued)
 STERLING EVENT
 Results of Milk Analyses
 November - December, 1966

| Location | Date Collected | Sample Code | gm/l K | Concentration of Stable Elements | | | | | Concentration of Radionuclides pCi/l | | |
|-----------------|----------------|-------------|-----------|----------------------------------|------------------|-------------------|-------------------|--------------------|--------------------------------------|--|--|
| | | | | ⁸⁹ Sr* | ⁹⁰ Sr | ¹³¹ I* | ¹³⁷ Cs | ¹⁴⁰ Ba* | | | |
| Picayune, Miss. | 11/27/66 | SM-1698 | 1.47 | < 5 | 21 | < 10 | 25 | < 10 | | | |
| Country Girl | | | | | | | | | | | |
| Dairy, Stan- | 12/13/66 | SM-1736 | 1.48 | < 5 | 25 | < 10 | 25 | < 10 | | | |
| ford Rt. 1 | | | | | | | | | | | |
| T. C. Smith | 11/25/66 | SM-1681 | 1.55 | < 5 | 32 | 10 | 15 | 10 | | | |
| Rt. 3 | | | | | | | | | | | |
| Walthall Co. | 12/14/66 | SM-1726 | 1.44 | < 5 | 26 | < 10 | 20 | < 10 | | | |
| USPHS B12 | 11/30/66 | SM-1700 | 1.52 | < 5 | 112 | < 10 | 35 | < 10 | | | |
| Jimmy McGraw | 12/15/66 | SM-1734 | 1.44 | < 5 | 125 | < 10 | 40 | < 10 | | | |
| USPHS C11 | 11/30/66 | SM-1701 | 1.20 | < 5 | 43 | 20 | 25 | < 10 | | | |
| R.H. Johnson | 12/15/66 | SM-1732 | 1.21 | < 5 | 41 | < 10 | 30 | < 10 | | | |
| USPHS C21 | 11/30/66 | SM-1702 | 1.55 | < 5 | 13 | < 10 | 25 | < 10 | | | |
| A.V. Johnson | 12/15/66 | SM-1738 | 1.56 | < 5 | 49 | < 10 | 65 | < 10 | | | |
| USPHS B23 | 11/30/66 | SM-1703 | 1.88 | < 5 | 108 | 20 | 85 | 20 | | | |
| Henry Smith | 12/15/66 | SM-1731 | 1.76 | < 5 | 77 | < 10 | 125 | < 10 | | | |
| USPHS 1 | 11/30/66 | SM-1704 | 1.64 | < 5 | 12 | < 10 | 45 | < 10 | | | |
| L. J. Bryant | 12/15/66 | SM-1739 | 1.55 | < 5 | 45 | < 10 | 45 | < 10 | | | |
| USPHS 31 | 11/30/66 | SM-1705 | 1.40 | < 5 | 14 | 20 | 30 | 20 | | | |
| Otho Johnson | 12/15/66 | SM-1735 | 1.34 | < 5 | 103 | < 10 | 30 | < 10 | | | |
| USPHS D21 | 11/30/66 | SM-1706 | 1.15 | < 5 | 62 | < 10 | 65 | 10 | | | |
| Roland Burge | 12/15/66 | SM-1737 | 1.13 | < 5 | 36 | < 10 | 20 | < 10 | | | |

* Data have been corrected for decay to the date of sample collection.



| LEGEND | STERLING EVENT |
|--------------------------------------|---|
| ● POPULATED AREAS | LOCATION MAP PROJECT STERLING |
| ~~~~ MAJOR HIGHWAY | |
| ◎ TEST SITE, 6Z | |
| ----- MISSISSIPPI - LOUISIANA BORDER | |
| SCALE, 1 INCH = 16 MILES | DATE OF EVENT DECEMBER 3, 1966 |
| | PROJECT STERLING |
| | USPHS OFF-SITE RADIOLoGICAL SAFETY PROGRAM |

FIGURE 1.1 LOCATION MAP, PROJECT STERLING




FIGURE 2.1 OFF-SITE MILK SAMPLING COVERAGE, COMPOSITE SAMPLES






FIGURE 2.2 OFF-SITE MILK SAMPLING STATIONS WITHIN 5 MILE RADIUS



Evacuation Area, 31 Families, 2 Mile Radius

| LEGEND | STERLING EVENT | |
|-------------------------|--|----------|
| EVACUATION AREA | EVACUATION AREA | |
| MAJOR ROAD | DATE OF EVENT | PROJECT |
| TEST SITE, GZ | DECEMBER 3, 1966 | STERLING |
| SCALE, 1 INCH = 2 MILES | USPHS OFF-SITE RADILOGICAL SAFETY PROGRAM | |

FIGURE 2.3 EVACUATION AREA



| LEGEND | STERLING EVENT | |
|--------------------------------|--|---------------------|
| Permanent Air Sampling Station | Permanent Air Sampling Stations 0 - 5 Miles | |
| Test Site, GZ | Date of Event December 3, 1966 | Project STERLING |
| Scale, 1 inch = 2 miles | USPHS Off-Site Radiological Safety Program | |

FIGURE 2.4 PERMANENT AIR SAMPLING STATIONS 0 - 5 MILES





FIGURE 2.5 PERMANENT AIR SAMPLING STATIONS, 5-50 MILES




NOTE: ALL STATION CODE NUMBERS ARE PREFIXED BY THE LETTERS DW

NOTE: THE FOLLOWING SAMPLING STATIONS ARE NOT SHOWN: HATTIESBURG (N52°E, 20 MI.) DW-07, PURVIS (S68°E, 10.5 MI.) DW-03, POPLARVILLE (S5°E, 21.5 MI.) DW-10, COLUMBIA (N67°W, 16 MI.) DW-08, LUMBERTON (S36°E, 12 MI.) DW-09

| LEGEND | | STERLING EVENT | |
|-----------------------------|--|---|---------|
| 01 ■ WATER SAMPLING STATION | | OFF-SITE WATER SAMPLING STATIONS | |
| ~~~~ MAJOR ROAD | | DATE OF EVENT | |
| ○ TEST SITE, 62 | | DECEMBER 3, 1966 | PROJECT |
| SCALE, 1 INCH = 2 MILES | | STERLING | |
| | | USPHS OFF-SITE RADIOPHYSICAL SAFETY PROGRAM | |


FIGURE 2.6 OFF-SITE WATER SAMPLING STATIONS



| LEGEND | | STERLING EVENT | |
|--------------------------------------|---------------|---|----------|
| ● FILM BADGE STATION LOCATION | | OFF-SITE AREA FILM BADGE STATIONS, 5-50 MILES | |
| ~~~~~ | MAJOR HIGHWAY | DATE OF EVENT | PROJECT |
| ○ | TEST SITE, 6Z | DECEMBER 3, 1966 | STERLING |
| ----- MISSISSIPPI - LOUISIANA BORDER | | USPHS OFF-SITE RADILOGICAL SAFETY PROGRAM | |
| SCALE, 1 INCH = 16 MILES | | | |

FIGURE 2.7 OFF-SITE AREA FILM BADGE STATIONS, 5-50 MILES


35 Badges Equally Dist.



One Badge Per Household, 31 Badges


| LEGEND | STERLING EVENT | |
|-------------------------|--|--|
| ● FILM BADGE STATION | PERSONAL FILM BADGES, FILM BADGE STATIONS WITHIN 5 MILE RADIUS | |
| ~~ MAJOR ROAD | | |
| ○ TEST SITE, GZ | DATE OF EVENT DECEMBER 3, 1966 | |
| SCALE, 1 INCH = 2 MILES | PROJECT STERLING | |
| | USPHS OFF-SITE RADILOGICAL SAFETY PROGRAM | |

FIGURE 2.8 PERSONAL FILM BADGES, FILM BADGE STATIONS WITHIN 5 MILE RADIUS



| LEGEND | STERLING EVENT | |
|---|--------------------------|---------|
| OFF-SITE ROAD MONITORED WITH NEGATIVE RESULTS | OFF-SITE ROADS MONITORED | |
| MAJOR ROAD | DATE OF EVENT | |
| TEST SITE, GZ | DECEMBER 3, 1966 | PROJECT |
| SCALE, 1 INCH = 2 MILES | STERLING | |
| USPHS OFF-SITE RADILOGICAL SAFETY PROGRAM | | |

FIGURE 2.9 OFF-SITE ROADS MONITORED



NOTE: ALL STATION CODE NUMBERS ARE PREFIXED BY THE LETTERS DV

| LEGEND | | STERLING EVENT | |
|-----------------------------------|--|---|---------------------|
| (1) ■ VEGETATION SAMPLING STATION | | OFF-SITE VEGETATION SAMPLING STATIONS | |
| ~~~~ MAJOR ROAD | | | |
| (○) TEST SITE, GZ | | DATE OF EVENT DECEMBER 3, 1966 | PROJECT STERLING |
| SCALE, 1 INCH = 2 MILES | | USPHS OFF-SITE RADILOGICAL SAFETY PROGRAM | |

FIGURE 2.10 OFF-SITE VEGETATION SAMPLING STATIONS

PROJECT STERLING REPORTS

SAFETY REPORTS

| <u>Report No.</u> | <u>Agency</u> | <u>Title</u> |
|-------------------|---------------|---|
| ERC | VUF-1035 | Analyses of Ground Motion and Containment |
| USPHS | VUF-1036 | Off-Site Surveillance |
| ESSA/ARFRO | VUF-1037 | Weather & Radiation Predictions |
| REECo | VUF-1038 | On-Site Health and Safety |
| FAA | VUF-1039 | Federal Aviation Agency Airspace Advisory |
| H-NSC | VUF-1040 | Hydrologic Safety Evaluation |
| USBM | VUF-1041 | Pre- and Post-Shot Safety Inspections of Oil and Gas Facilities |
| USGS | VUF-1042 | Well Aquifer Response to the Sterling Event, Tatum Dome |
| USGS | VUF-1043 | Chemical and Radio-Chemical Quality of Water Following the Sterling Event |
| JAB | VUF-1044 | Structural Response |

TECHNICAL REPORTS

| | | |
|-----------------------------------|----------|--|
| ILRL, SC | VUF-3025 | Subsurface Phenomenology Measurements Near a Decoupled Nuclear Event |
| USC&GS USGS GEO TECH LRL | VUF-3026 | Decoupling of Seismic Waves By a Shot-Generated Cavity |
| TI | VIF-3027 | Radioactive Gas Analysis |
| II | VUF-3028 | Detection of Radionuclides |

List of Abbreviations for Technical Agencies
Participating in Project Sterling

| | |
|------------|---|
| ERC | Environmental Research Corporation Alexandria, Virginia |
| ESSA/ARFRO | Environmental Science Services Administration Air Resources Field Research Office Las Vegas, Nevada |
| FAA | Federal Aviation Agency Los Angeles, California |
| GEO TECH | Geotechnical Corporation Garland, Texas |
| H-NSC | Hazelton-Nuclear Science Corporation Palo Alto, California |
| II | Isotopes, Inc. Westwood, New Jersey |
| JAB | John A. Blume San Francisco, California |
| RLR | Lawrence Radiation Laboratory Livermore, California |
| REECo | Reynolds Electrical & Engineering Co., Inc. Las Vegas, Nevada |
| SC | Sandia Corporation Albuquerque, N. M. |
| TI | Texas Instruments, Inc. Dallas, Texas |
| USBM | U. S. Bureau of Mines |
| USC&GS | U. S. Coast & Geodetic Survey Las Vegas, Nevada |
| USGS | U. S. Geologic Survey Denver, Colorado |
| USPHS | U. S. Public Health Service Las Vegas, Nevada |

PROJECT STERLING

DISTRIBUTION LIST

Final Technical and Safety Program Reports

Copies

ARMY

20 Defense Documentation Center (DDC), Cameron Station,
Alexandria, Virginia 22315, Attn: TISIA-21
"U. S. military agencies may obtain copies of this
report directly from DDC. Other qualified users
shall request through DASA."

1 Chief of Research and Development, D/A, Washington, D.C.
30210 Attn: Atomic Division
Chief of Engineers, D/A, Washington, D. C. 20310

1 Attn: ENGCW-NE
1 ENGTE-E
1 ENGMC-E

2 Commanding General, U. S. Army Materiel Command,
Washington, D. C. 20310, Attn: AMCRD-DE-N

1 Commanding General, Aberdeen Proving Ground, Aberdeen,
Maryland 21005, Attn: Director BRL

1 Director, U. S. Army Research and Development Laboratory,
Ft. Belvoir, Virginia 22060, Attn: Chief, Technical
Support Branch

1 Director, Waterways Experiment Station, U. S. Army Corps
of Engineers, Vicksburg, Mississippi 39180 Attn:
Library

1 Director, U. S. Army Corps of Engineers, Nuclear
Cratering Group, Livermore, California 94551

NAVY

Chief of Naval Operations, Navy Department, Washington,
2 D. C. 20350 Attn: OP-75
1 OP-03EG
Chief, Bureau of Yards and Docks, Navy Department,
1 Washington, D. C. 20370 Attn: Code D-400
1 Code D-440
1 Chief of Naval Research, Navy Department, Washington,
D. C. 20390 Attn: Code 811
1 Commanding Officer & Director, U. S. Naval Civil
Engineering Laboratory, Port Hueneme, California
93041 Attn: Code L-31
1 Commander, U. S. Naval Ordnance Laboratory, Silver Spring,
Maryland 20910 Attn: EA
1 EU
1 E
1 Director, U. S. Naval Research Laboratory, Washington,
D. C. 20390
1 U. S. Naval Radiological Defense Laboratory, San Francisco,
California 94135

AIR FORCE

- 1 Director of Research and Development, DCS/D, Hq, USAF,
Washington, D. C. 20330, Attn: Guidance & Weapons
Division
- 1 AFCRLL, L. G. Hanscom Field, Bedford, Massachusetts 01731
Attn: CRJW
- 4 AFWL, Kirtland AFB, New Mexico 87117
- 1 Commandant, Institute of Technology, Wright-Patterson
AFB, Ohio 45433 Attn: MCLL-ITRIDL
- 1 BSD, Norton AFB, California 92409
- 1 Director of Civil Engineering, Hq, USAF, Washington,
D. C. 20330 Attn: AFOCE
- 1 AFOCSR, Tempo Bldg. D, Washington, D. C. 20333, Attn:
SPRS

OTHERS

- 1 Director of Defense Research and Engineering, Washington, D. C. 20330 Attn: Technical Library
- 1 Assistant to the Secretary of Defense (Atomic Energy), Washington, D. C. 20330
- 1 Director, Weapons Systems Evaluation Group, OSD, Room E880. The Pentagon, Washington, D. C. 20301

Copies

1 Commander, Field Command, DASA, Sandia Base, Albuquerque,
1 New Mexico 87115 Attn: FCWT
1 FCTG

4 Commander, Test Command, DASA, Sandia Base, Albuquerque,
New Mexico 87115

5 Chief, Defense Atomic Support Agency, Washington, D. C.
20301

1 Los Alamos Scientific Laboratory, P. O. Box 1663, Los
Alamos, New Mexico 87544 Attn: R port Librarian
(for W. E. Ogle)

1 Chief, Classified Technical Library, Technical Information
Service, U. S. Atomic Energy Commission,
Washington, D. C. 20545 (for DMA)

1 Manager, Nevada Operations Office, USAEC, Las Vegas,
Nevada 89101

1 EG&G, Inc., P. O. Box 384, Kenmore Station, Boston,
Massachusetts 02215 Attn: Mary E. Secton,
Librarian

3 Nuclear Test Detection Office, Advanced Research
Projects Agency, Department of Defense, Washington,
D. C. 20301

5 Advanced Research Projects Agency, Department of
Defense, Washington, D. C. 20301 For: Rudy Black

1 Mr. Wayne Everett Hall, U. S. Geological Survey,
Division of Experimental Geology, Department of
Interior, Washington, D. C. 20241

2 Mr. Charles R. Gellner, U. S. Arms Control & Disarmament
Agency, Department of State, Washington, D. C.
20301

1 Institute for Defense Analysis, 1825 Connecticut Avenue
NW., Washington, D. C. 20019 Attn: Al Rubinstein

1 Shell Development Company, P. O. Box 481, Houston, Texas
77001 Attn: Dr. Sidney Kaufman, Exploration Division

3 VELA Seismological Center, c/o Headquarters, USAF/AFTAC,
Washington, D. C. 20353

1 Lincoln Laboratories, Lexington, Massachusetts 02173
Attn: Dr. P. Green

1 VELA Seismic Information Analysis Center, University of
Michigan, P. O. Box 608, Ann Arbor, Michigan 48105

1 EG&G, Inc., Santa Barbara Laboratory, P. O. Box 98,
Goleta, California 93017 Attn: M. B. Carpenter

10 U. S. Atomic Energy Commission, Division of Technical
Information Extension, P. O. Box 62, Oak Ridge,
Tennessee 37830

1 U. S. Atomic Energy Commission, Division of Technical
Information, Washington, D. C. 20545

1 U. S. Atomic Energy Commission, Division of Operational
Safety, Washington, D. C. 20545

1 Kenneth W. King, Coast and Geodetic Survey, P. O. Box
1676, Las Vegas, Nevada 89101

1 J. C. Tison, Jr., U. S. Coast and Geodetic Survey,
Washington, D. C. 20230

1 D. C. Ward, Bureau of Mines, U. S. Department of the Interior,
P. O. Box 1321, Bartlesville, Oklahoma 74004

2 Applied Physics Laboratory, Bureau of Mines, College
Park, Maryland 20740

1 AFTAC Element, P. O. Box 436, Mercury, Nevada 89023

2 Dr. A. Nance, RAND Corporation, 1700 Main Street,
Santa Monica, California 90401

3 L. C. Pakiser, U. S. Geological Survey, Bldg. 25, Federal
Center, Denver, Colorado 80225

1 Dr. C. F. Romney, Air Force Technical Applications Center,
Washington, D. C. 20333

1 J. M. Polatty, USA Corps of Engineers Waterways Experiment
Station, P. O. Drawer 2131, Jackson, Mississippi 39025

1 J. W. Allingham, U. S. Geological Survey, 8300 Colevilles
Road, Silver Spring, Maryland 20910

1 Isotopes, Inc., 123 Woodland Avenue, Westwood, New Jersey
07675

20 University of California, Lawrence Radiation Laboratory,
P. O. Box 808, Livermore, California 94551 Attn:
Technical Information Division

Plus (+) 10 copies to originating agency

DISTRIBUTION LIST
(TID-4500, Category UC-35)

No. Copies

1 AEC ALBUQUERQUE OPERATIONS OFFICE
 1 AEC BETHESDA TECHNICAL LIBRARY
 25 AEC DIVISION OF PEACEFUL NUCLEAR EXPLO-
 SIVES
 1 AEC LIBRARY, WASHINGTON
 1 AEC MISSION TO THE IAEA
 5 AEC NEVADA OPERATIONS OFFICE
 1 AEC NEW YORK OPERATIONS OFFICE
 1 AEC PATENT OFFICE
 5 AEC SAN FRANCISCO OPERATIONS OFFICE
 1 AEC SAVANNAH RIVER OPERATIONS OFFICE
 1 AEC SCIENTIFIC REPRESENTATIVE, BELGIUM
 1 AEC SCIENTIFIC REPRESENTATIVE, ENGLAND
 1 AEC SCIENTIFIC REPRESENTATIVE, JAPAN
 1 AEROSPACE CORPORATION, SAN BERNARDINO
 (AF)
 1 AIR FORCE AERO PROPULSION LABORATORY
 (APE)
 1 AIR FORCE FOREIGN TECHNOLOGY DIVISION
 1 AIR FORCE INSTITUTE OF TECHNOLOGY
 1 AIR FORCE SCHOOL OF AEROSPACE MEDICINE
 1 AIR FORCE WEAPONS LABORATORY
 1 AMES LABORATORY (AEC)
 1 ARGONNE NATIONAL LABORATORY (AEC)
 8 ARMY ABERDEEN PROVING GROUND
 1 ARMY CHIEF OF ENGINEERS
 1 ARMY ELECTRONICS COMMAND
 1 ARMY ENGINEER DIVISION
 5 ARMY ENGINEER NUCLEAR CRATERING GROUP
 6 ARMY ENGINEER WATERWAYS EXPERIMENT
 STATION
 1 ARMY MATERIEL COMMAND
 1 ARMY MEDICAL FIELD SERVICE SCHOOL
 1 ARMY MEDICAL RESEARCH UNIT
 1 ARMY MOBILITY EQUIPMENT RESEARCH AND
 DEVELOPMENT CENTER
 1 ARMY NUCLEAR DEFENSE LABORATORY
 1 ARMY PICATINNY ARSENAL
 1 ARMY ROCKY MOUNTAIN ARSENAL
 1 ARMY SURGEON GENERAL
 1 ARMY WALTER REED MEDICAL CENTER
 1 ATOMIC POWER DEVELOPMENT ASSOCIATES, INC.
 (AEC)
 2 ATOMICS INTERNATIONAL (AEC)
 1 BABCOCK AND WILCOX COMPANY, WASHINGTON
 (AEC)
 2 BATTELLE MEMORIAL INSTITUTE (AEC)
 1 BATTELLE-NORTHWEST (AEC)
 1 BROOKHAVEN NATIONAL LABORATORY (AEC)
 2 BUREAU OF MINES, BARTLESVILLE (INT)
 1 BUREAU OF MINES, DENVER (INT)
 1 BUREAU OF MINES, LARAMIE (INT)
 6 BUREAU OF RECLAMATION (INT)
 1 DEPARTMENT OF AGRICULTURE NATIONAL
 LIBRARY
 1 DOD DASA LIVERMORE
 1 DOD DASA RADIOBIOLOGY RESEARCH INSTITUTE
 1 DOD DASA SANDIA
 1 DOD DASA WASHINGTON
 1 DU PONT COMPANY, AIKEN (AEC)
 1 DU PONT COMPANY, WILMINGTON (AEC)
 1 EG&G, INC., ALBUQUERQUE (AEC)
 1 EG&G, INC., LAS VEGAS (AEC)
 5 EL PASO NATURAL GAS COMPANY
 8 ENVIRONMENTAL RESEARCH CORPORATION
 (AEC)
 1 ENVIRONMENTAL RESEARCH CORPORATION,
 LAS VEGAS (AEC)
 1 ENVIRONMENTAL SCIENCE SERVICES
 ADMINISTRATION, LAS VEGAS (COMM.)
 1 ENVIRONMENTAL SCIENCE SERVICE
 ADMINISTRATION, MARYLAND (COMM.)

No. Copies

1 FRANKFORD ARSENAL (P-D LABS.)
 1 GENERAL DYNAMICS/FORT WORTH (AF)
 1 GENERAL ELECTRIC COMPANY, CINCINNATI
 (AEC)
 1 GENERAL ELECTRIC COMPANY, SAN JOSE (AEC)
 1 GEOLOGICAL SURVEY, DENVER
 1 GEOLOGICAL SURVEY, FLAGSTAFF (INT)
 1 GEOLOGICAL SURVEY, MENLO PARK (INT)
 1 GEOLOGICAL SURVEY (PECORA) (INT)
 1 GULF GENERAL ATOMIC INCORPORATED (AEC)
 2 HOLMES AND HARVER, INC. (AEC)
 1 HUGHES AIRCRAFT COMPANY, FULLERTON
 (ARMY)
 1 INSTITUTE FOR DEFENSE ANALYSIS (ARMY)
 1 ISOTOPES, INC. (AEC)
 1 JET PROPULSION LABORATORY (NASA)
 1 LAWRENCE RADIATION LABORATORY,
 BERKELEY (AEC)
 4 LAWRENCE RADIATION LABORATORY,
 LIVERMORE (AEC)
 2 LOS ALAMOS SCIENTIFIC LABORATORY (AEC)
 5 LOVELACE FOUNDATION (AEC)
 1 MATHEMATICA (AEC)
 1 MUESER, RUTLEDGE, WENTWORTH AND
 JOHNSTON (AEC)
 1 MUTUAL ATOMIC ENERGY LIABILITY
 UNDERWRITERS (AEC)
 1 NASA JOHN F. KENNEDY SPACE CENTER
 1 NATIONAL BUREAU OF STANDARDS (LIBRARY)
 1 NATIONAL INSTITUTES OF HEALTH (HEW)
 1 NATIONAL REACTOR TESTING STATION (INC)
 (AEC)
 1 NAVY ATOMIC ENERGY DIVISION
 1 NAVY OFFICE OF NAVAL RESEARCH (CODE 422)
 2 NAVY ORDNANCE LABORATORY
 1 NAVY ORDNANCE SYSTEMS COMMAND
 1 NAVY POSTGRADUATE SCHOOL
 1 NAVY RADILOGICAL DEFENSE LABORATORY
 1 NAVY SHIP SYSTEMS COMMAND HEADQUARTERS
 1 NRA, INC.
 4 OAK RIDGE NATIONAL LABORATORY (AEC)
 1 OCEANOGRAPHIC SERVICES, INC. (AEC)
 1 OHIO STATE UNIVERSITY (OCD)
 3 PUBLIC HEALTH SERVICE, LAS VEGAS (HEW)
 1 PUBLIC HEALTH SERVICE, MONTGOMERY (HEW)
 1 PUBLIC HEALTH SERVICE, ROCKVILLE (HEW)
 1 PUBLIC HEALTH SERVICE, WINCHESTER (HEW)
 1 PUERTO RICO NUCLEAR CENTER (AEC)
 1 PURDUE UNIVERSITY (AEC)
 1 RADIOPTRICS, INC. (AEC)
 2 REYNOLDS ELECTRICAL AND ENGINEERING
 COMPANY, INC. (AEC)
 4 SANDIA CORPORATION, ALBUQUERQUE (AEC)
 1 SANDIA CORPORATION, LIVERMORE (AEC)
 1 SOUTHWEST RESEARCH INSTITUTE (AEC)
 1 STANFORD UNIVERSITY (AEC)
 1 TENNESSEE VALLEY AUTHORITY
 1 UNION CARBIDE CORPORATION (ORGDP) (AEC)
 1 UNIVERSITY OF CALIFORNIA, DAVIS,
 TALLEY (AEC)
 1 UNIVERSITY OF MICHIGAN (VESIAC) (ARMY)
 1 UNIVERSITY OF ROCHESTER (KAPLON) (AEC)
 1 UNIVERSITY OF TENNESSEE (AEC)
 1 UNIVERSITY OF WASHINGTON (AEC)
 1 WASHINGTON STATE UNIVERSITY (AEC)
 1 WESTINGHOUSE ELECTRIC CORPORATION,
 MC KENNA (AEC)
 66 AEC DIVISION OF TECHNICAL INFORMATION
 EXTENSION
 25 CLEARINGHOUSE FOR FEDERAL SCIENTIFIC
 AND TECHNICAL INFORMATION